


FITTING INSTRUCTIONS FOR BLP0091BK REAR FOOTREST BLANKING PLATE KAWASAKI NINJA 125/Z125 2019-



Please note that the way the kit is packed does not necessarily represent the way of mounting to the bike

THE PARTS SHOWN MAY BE REPRESENTATIVE ONLY (FOR CLARITY OF INSTRUCTIONS ONLY)

Please note that in cases where kits are packed with rubber washers holding the components onto the bolt -the



TOOLS REQUIRED

• 5 and 6mm A/F metric Allen key.

FITTING INSTRUCTIONS

- Remove rear footrest on the left-hand side of the bike.
- Fit the two shorter counter-sunk head bolts through the holes in the blanking plate.
- Fit the two spacers over the exposed threads.
- Offer assembly up to bike and engage both bolts as shown in top picture.
- Tighten evenly using 5mm Allen key.
- Please note:- the two longer bolts are supplied for use on the right-hand side of the bike if using R&G exhaust hanger (EH0090) or R&G tie-down hooks (TH0024) on either side.



BLP0091

ISSUE 1 09/04/2019 (NSY)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



NOTICE DE MONTAGE POUR BLP0091BK PLAQUE D'OBTURATION DU REPOSE PIED ARRIERE KAWASAKI NINJA 125/Z125 2019-



La façon dont le kit est emballé ne correspond pas forcément à la façon de monter les pièces sur la moto.

LES PARTIES PRESENTEES PEUVENT ETRE UNIQUEMENT REPRESENTATIVES (POUR LA CLARTE DES INSTRUCTIONS UNIQUEMENT).

Notez que si les kits sont emballés avec des rondelles en caoutchouc servant à tenir les composants, ces rondelles doivent être jetées!



OUTILS REQUIS

Clés Allen 5 et 6mm.

NOTICE DE MONTAGE

- Enlever le repose pied arrière du côté gauche de la moto.
- Insérer les 2 boulons dans la plaque d'obturation.
- Insérer les 2 entretoises sur les filetages.
- Monter l'ensemble sur la moto puis engager les 2 boulons indiqués sur la photo ci-dessus.



BLP0091

- Serrer de façon identique à l'aide d'une clé Allen 5mm.
- Note:- Les 2 boulons sont fournis pour être utilises du côté droit de la moto si vous utilisez un support d'échappement R&G (EH0090) ou crochets d'arrimage R&G (TH0024) de chaque côté.

ISSUE 1 09/04/2019 (NSY)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.




MONTAGEANLEITUNG FÜR BLP0091BK ABDECKPLATTE FUR DIE HINTERE FUSSRASTE KAWASAKI NINJA 125/Z125 2019-



Hinweis: Die Verpackung der Teile stellt nicht die Reihenfolge der Montage dar.

DIE ABGEBILDETEN TEILE DIENEN LEDIGLICH ZUR ERKLÄRUNG.

Hinweis für Kits mit Plastikunterlegscheiben an den Schrauben – Diese Plastikunterlegscheiben werden nicht für den Einbau benötigt!



SIE BENÖTIGEN FOLGENDES WERKZEUG:

5 und 6mm Inbusschlüssel

MONTAGEANLEITUNG

- Entfernen Sie die Soziusfußraste an der linken Seite des Motorrades.
- Montieren Sie die zwei Senkschrauben an den Öffnungen an der Abdeckplatte.
- Montieren Sie die zwei Distanzhalter an den hervorstehenden Gewinden.
- Die Einheit ans Motorrad ansetzen und die Schrauben eindrehen wie im oberen Bild abgebildet.
- Mit einem 5mm Inbusschlüssel die Schrauben gleichmäßig festziehen.
- HINWEIS: die zwei längeren Schrauben, die im Lieferumfang enthalten sind, sind für die Verwendung an der rechten Seite des Motorrades, wenn Sie eine R&G Auspuffhalterung (EH0090) montieren oder R&G Verzurrösen (TH0024) an beiden Seiten verwenden.



BLP0091

AUSGABE 1 09/04/2019 (NSY)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any detective Products Acad shall at its option either suppry a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturers instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.