



Fitting Instructions for RAD0132BK/TI Radiator Guard
HONDA CBR1000 RR (FIREBLADE) 2006-7



In This Kit There Should Be
1x Radiator Guard (RAD0132BK)
2x 100mm Lengths of self-adhesive Foam
4 x Cable/Zip Tie



PICTURE 1



PICTURE 2



PICTURE 3

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove both side fairings and the plastic radiator surround.
- You will also have to remove the original plastic lower radiator guard.
- Undo and remove the lower radiator mounting bolt as shown in picture 1.
- Offer the radiator guard into position and use the original bolt to secure the guard and radiator into position as original.
- Use two of the cable/zip ties to secure the radiator guard to the two top radiator mounting brackets as shown in picture 2 (one side shown only).
- Use the two remaining cable/zip ties to hold the over-flow tube as shown in picture 3.
- Refit the plastic radiator surround and both side fairings.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



ISSUE 1 31/07/2012 (NSY)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



Instructions de montage RAD0132BK/TI Grille de protection radiateur
HONDA CBR1000 RR (FIREBLADE) 2006-7



Ce kit doit contenir:

- 1x Grille de protection radiateur (RAD0132BK)**
- 2x 100mm Longueurs de mousse autocollante**
- 4 x Attache câble**



Photo 1



Photo 2



Photo 3

- Pour installer la grille de protection sur la moto, couper la mousse en bandeaux de 10mm puis collez là au bas du cadre afin qu'elle se situe entre le radiateur et la protection radiateur elle-même..
- Enlever le carénage des 2 cotés et le contour de radiateur en plastique.
- Vous devrez également retirer la protection radiateur en plastic inférieur d'origine.
- Desserrer puis enlever le boulon de fixation inférieur du radiateur (photo 1).
- Placer la grille de protection en position puis utiliser le boulon d'origine pour fixer la grille et le radiateur en position originale.
- Utiliser 2 des attaches cable pour fixer la grille de radiateur aux 2 supports de fixation (photo 2) (un seul coté est montré).
- Utiliser les 2 attaches cables restantes pour tenir le trop plein de tube (photo 3).
- Remettre le contour de radiateur en plastique et les carénages des 2 cotés.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



Montageanleitung für den RAD0132BK/TI Kühlerschutz
HONDA CBR1000 RR (FIREBLADE) 2006-7



Dieser Kit beinhaltet:
1x Kühlerschutz (RAD0132BK)
2x 100mm selbstklebende Schaumstoffstreifen
4 x Kabelbinder



ABBILDUNG 1



ABBILDUNG 2



ABBILDUNG 3

- Um den Kühlerschutz am Motorrad zu montieren, schneiden Sie zuerst die mitgelieferten Schaumstoff-Streifen in 10 mm breiten Streifen und kleben Sie diese auf der Rückseite des Kühlerschutzrahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind.
- Entfernen Sie beide Seitenverkleidungen und die Plastikverkleidung des Kühlers.
- Den originalen, unteren Kühlerschutz aus Plastik muss auch entfernt werden.
- Lösen und entfernen Sie die untere Montageschraube für den unteren Kühlerschutz – siehe Abbildung 1.
- Den Kühlerschutz in Position bringen und mit der Originalschraube den Kühlerschutz und den Kühler wie ursprünglich befestigen.
- Verwenden Sie zwei Kabelbinder, um den Kühlerschutz an den oberen Montagehalterungen zu befestigen, wie in Abbildung 2 abgebildet (nur eine Seite ist abgebildet).
- Verwenden Sie die restlichen zwei Kabelbinder, um den Überlaufschlauch zu fixieren – siehe Abbildung 3.
- Montieren Sie beide Seitenverkleidungen und die Plastikverkleidung des Kühlers wieder.