



Fitting Instructions for RAD0135BK Radiator Guard
HONDA CBR1100 BLACKBIRD '96-'98



In This Kit There Should Be
1x Radiator Guard (RAD0135BK)
2x 4mm Cable Ties 220mm Long
2x 100mm Lengths of self-adhesive Foam



Picture 1



Picture 2



Picture 3



TOOLS REQUIRED

- Cable cutters

FITTING INSTRUCTIONS

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove both side fairings and the plastic radiator surround from the bike.
- Offer the R&G Radiator Guard into position and locate the bottom bracket onto the lower radiator mount, as arrowed in picture 1.
- Using the two cable ties supplied secure the guard using the two top tabs, as shown in pictures 2 & 3. The left side locates over the top radiator mount bolt and the right side loops around the neck of the radiator filler cap.
- Tighten the cable ties and cut off any excess.
- Refit the plastic radiator surround and both side fairings.

ISSUE 1 16/01/2013 (AR)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



Montageanleitung für den RAD0135BK Kühlerschutz
HONDA CBR1100 BLACKBIRD '96-'98



Dieser Kit beinhaltet:
1x Kühlerschutz (RAD0135BK)
2x 100mm selbstklebende Schaumstoffstreifen
4 x 7mm Kabelbinder (Länge: 200 mm)



Abbildung 1



Abbildung 2



Abbildung 3



SIE BENÖTIGEN FOLGENDES WERKZEUG:

- Kabelschneider

MONTAGEANLEITUNG

- Um den Kühlerschutz am Motorrad zu montieren, schneiden Sie zuerst die mitgelieferten Schaumstoffstreifen in 10 mm breiten Streifen und kleben Sie diese auf der Rückseite des Kühlerschutzrahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind.
- Entfernen Sie beide Seitenverkleidungen und die Plastikverkleidung (um den Kühler) vom Motorrad.
- Den R&G Kühlerschutz in Position bringen und den unteren Halter an der unteren Kühlerhalterung fixieren, wie in Abbildung 1 markiert.
- Verwenden Sie die zwei mitgelieferten Kabelbinder, um den Kühlerschutz an den zwei Laschen oben zu befestigen - siehe Abbildungen 2 & 3. Die linke Seite wird über dem Kühlerhalter fixiert und die rechte Seite um den Hals des Kühlerverschlussdeckels.
- Ziehen Sie beide Kabelbinder fest und schneiden Sie das überschussige Kabel ab.
- Montieren Sie die Plastikverkleidung um den Kühler und beide Seitenverkleidungen wieder.

AUSGABE 1 16/01/2013 (AR)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P - at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing
Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ
Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com