



Fitting Instructions for SRG0017 Radiator Guard
SUZUKI V-STROM 650 2012



In This Kit There Should Be
1x Radiator Guard (SRG0017).
2 x 100mm Lengths of self-adhesive Foam.
1x M6x20mm long button head bolt.
1x M6 nyloc nut.
2x M6 washers.
2 x Cable/Zip Ties


- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Undo and remove the bolt shown in picture 1.
- Offer the radiator guard into position and using the button head bolt and washer from the front secure in position as shown in picture 2.
- Fit the washer and nut onto the threaded portion of bolt (just fitted) protruding from the radiator mounting bracket and secure.
- Use the two cable ties and secure the top of the radiator guard to the frame brackets in two places as arrowed in picture 3.



Picture 1



Picture 2



Picture 3

ISSUE 1 28/10/2013 (AR)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



Instructions de montage SRG0017 Grille de radiateur
SUZUKI V-STROM 650 2012



Ce kit contient

- 1x Grille de radiateur (SRG0017).**
- 2 x 100mm Morceau de mousse adhésive.**
- 1x M6x20mm Long boulon à tête ronde.**
- 1x M6 écrou nyloc.**
- 2x M6 rondelles.**
- 2 x Cable / Attache**

- Pour installer la grille radiateur sur la moto, coupez l'adhésif en pièces de 10mm et collez les à l'arrière du cadre de la grille pour qu'ils se retrouvent entre la protection radiateur et le radiateur.
- Dévisser et enlever le boulon comme sur l'image 1.
- Mettre la grille de radiateur en position via l'utilisation du boulon à tête ronde ainsi que sa rondelle. Sécuriser la position comme sur l'image 2.
- Installer la rondelle et l'écrou dans la portion fileté du boulon (qui vient d'être installé) saillie du support de montage puis sécuriser.
- Utiliser les deux attaches de câble et attacher le haut de la grille radiateur au cadre to en deux endroits comme montré en image 3.



Image 1



Image 2



Image 3

ISSUE 1 28/10/2013 (AR)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



Montageanleitung für den SRG0017 Kühlerschutz
SUZUKI V-STROM 650 MODELL 2012



Dieses Kit beinhaltet:

- 1x Kühlerschutz (SRG0017)**
- 2x 100mm selbstklebende Schaumstoffstreifen**
- 1x M6x20mm Halbrundkopfschraube**
- 1x M6 selbstsichernde Mutter**
- 2x M6 Unterlegscheiben**
- 2 x Kabelbinder**

- Um den Kühlerschutz am Motorrad zu montieren, schneiden Sie zuerst die mitgelieferten Schaumstoff-Streifen in 10 mm breiten Streifen und kleben Sie diese auf der Rückseite des Kühlerschutz-Rahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind.
- Lösen und entfernen Sie die abgebildete Schraube (siehe Abbildung 1).
- Halten Sie den Kühler in Position und benutzen Sie die Halbrundkopfschraube und die Unterlegscheibe, um ihn zu befestigen (siehe Abbildung 2).
- Nun die Mutter und die Unterlegscheibe auf dem Gewinde der Schraube, die gerade montiert wurde und über die Kühlerhalterung etwas hervorsteht, anbringen und befestigen.
- Verwenden Sie die zwei Kabelbinder, um den Kühlerschutz oben an den Rahmenhalterungen an den zwei angezeigten Stellen (siehe Abbildung 3) zu befestigen.



Abbildung 1



Abbildung 2




Abbildung 3

ISSUE 1 28/10/2013 (AR)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.