



**FITTING INSTRUCTIONS FOR DENALI HORN MOUNT**  
**BMW F700GS '13- & F800GS '10-**



**Please note that the way the kit is packed does not necessarily represent the way of mounting to the bike**


THE PARTS SHOWN MAY BE REPRESENTATIVE ONLY (FOR CLARITY OF INSTRUCTIONS ONLY)


Please note that in cases where kits are packed with rubber washers holding the components onto the bolt – *the rubber washers should be thrown away!*

**FITTING INSTRUCTIONS**

- Attach the mounting bracket with the M6 screw provided. Place the 7mm spacer behind to the bracket, as shown in image 1 below.
- Mount the horn to the bracket using the hardware provided with the horn. Be sure to read all mounting instructions provided with the horn to ensure it is mounted at the right angle, as shown in image 2 below.





**1**  
Horn Bracket  
  
HMT.07.002  
Qty ..... 1

**2**  
Lens Head Screw  
  
M6x35.....ISO 7380  
Qty ..... 2

**3**  
Spacer  
  
OD: 12.7mm ID: 8.1mm L: 6.75mm  
Qty ..... 1

**4**  
Hex Head Screw  
  
M6x25.....ISO 7380  
Qty ..... 1

**5**  
Nyloc Nut  
  
M8.....DIN 985  
Qty ..... 1





#### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



## **INSTRUCTIONS DE MONTAGE POUR SUPPORT CORNE DENALI** **BMW F700GS '13- & F800GS '10-**



**Assurez vous que toutes les pièces soient présentes avant de procéder au montage.**

**La façon dont le kit est emballé ne correspond pas forcément à la façon de monter les pièces sur la moto.**


LES PIÈCES PRÉSENTÉES PEUVENT N'ÊTRE QUE REPRESENTATIVES, AFIN DE FACILITER ET CLARIFIER LES INSTRUCTIONS DE MONTAGE.


Notez que si les kits sont emballés avec des rondelles en caoutchouc servant à tenir les composants, *ces rondelles doivent être jetées !*

### **FITTING INSTRUCTIONS**

- Attacher le support de fixation avec la vis M6 fournie. Placer l'entretoise 7mm derrière le support, comme indiqué sur l'image 1 ci-dessous.
- Montez la corne sur le support en utilisant le matériel fourni avec la corne. Lisez intégralement toutes les instructions de fixation afin de réaliser un montage de qualité, au bon angle, voir image 2 ci-dessous.




**1**  
Horn Bracket  
  
HMT.07.002  
Qty ..... 1

**2**  
Lens Head Screw  
  
M6x35.....ISO 7380  
Qty ..... 2

**3**  
Spacer  
  
OD: 12.7mm ID: 8.1mm L: 6.75mm  
Qty ..... 1

**4**  
Hex Head Screw  
  
M6x25.....ISO 7380  
Qty ..... 1

**5**  
Nyloc Nut  
  
M8.....DIN 985  
Qty ..... 1





#### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.