



FITTING INSTRUCTIONS FOR LSR0015 LUGGAGE SIDE RAILS



THIS KIT CONTAINS THE ITEMS PICTURED AND LABELLED OVER PAGE.

SOME PARTS MAY BE SHOWN FOR CLARITY OF INSTRUCTIONS ONLY.

DO NOT PROCEED UNTIL YOU ARE SURE ALL PARTS ARE PRESENT.

PLEASE READ ALL INSTRUCTIONS BEFORE PROCEEDING.

**IF IN ANY DOUBT WHEN FITTING OUR PRODUCTS, CONSULT ONE OF OUR DEALERS
OR HAVE FITTED BY A QUALIFIED TECHNICIAN.**

PLEASE NOTE THAT THE WAY THE KIT IS PACKED DOES NOT NECESSARILY REPRESENT THE WAY OF
MOUNTING TO THE BIKE.

IN THE EVENT OF RUBBER WASHERS BEING USED TO HOLD COMPONENTS ONTO BOLTS,
THESE RUBBER WASHERS CAN BE THROWN AWAY.



<u>TOOLS REQUIRED</u>	<u>GENERAL TORQUE SETTINGS</u>
5mm ALLEN KEY	M4 BOLT = 8Nm M5 BOLT = 12Nm M6 BOLT = 15Nm M8 BOLT = 20Nm M10 BOLT = 40Nm M12 BOLT = 40Nm

LEGEND

ITEM NO.	DESCRIPTION	QTY
ITEM 1	RHS LUGGAGE RAIL	1
ITEM 2	LHS LUGGAGE RAIL	1
ITEM 3	15mm SPACER	2
ITEM 4	55mm SPACER	2
ITEM 5	40mm BOLT	2
ITEM 6	75mm BOLT	1
ITEM 7	M8 WASHER	4

FITTING PICTURES




Picture 1



Picture 2



EXPLODED ASSEMBLY VIEW



FITTING INSTRUCTIONS

- It is recommended that you begin with the RHS and move onto the LHS after it is complete.
- Referring to the **EXPLODED ASSEMBLY VIEW**, secure the RHS luggage side rail (**item 1**) to the bike using one 15mm spacer (**Item 3**), one 55mm spacer (**Item 5**), one 40mm bolt (**item 5**), one 75mm bolt (**Item 6**) and two washers (**Item 7**) as shown in the assembly view. The 40mm bolt should locate in the threaded hole circled in blue in **Picture 2**, and the 75mm bolt should locate in the threaded hole circled in red in **Picture 2**.
- Referring to the **EXPLODED ASSEMBLY VIEW**, secure the LHS luggage side rail (**Item 2**) to the bike using one 15mm spacer (**Item 3**), one 55mm spacer (**Item 4**), one 40mm bolt (**Item 5**), one 75mm bolt (**Item 6**) and two washers (**Item 7**) as shown in the assembly view. The 40mm bolt should locate in the threaded hole circled in blue in **Picture 1**, and the 75mm bolt should locate in the threaded hole circled in red in **Picture 1**.
- Ensure all bolts are torqued to spec as listed on Page 2.
- Fit your choice of soft luggage, securing to the racks using suitable straps if required.

Before riding with luggage fitted, ensure that all luggage is fully secured and will not contact any part of the chain or exhaust silencer during use.

Failure to do so will result in damage to the luggage and bike and may cause serious injury or death.

ISSUE 2 - 21/11/2024 (MH)

**CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



NOTICE DE MONTAGE LSR0015 BARRES LATÉRALES POUR BAGAGES



CE KIT CONTIENT LES ARTICLES ILLUSTRÉS ET ÉTIQUETES SUR LA PAGE.

CERTAINES PARTIES PEUVENT ÊTRE PRÉSENTES UNIQUEMENT POUR LA CLARTÉ DES INSTRUCTIONS.

NE PAS PROCÉDER AU MONTAGE TANT QUE VOUS N'ÊTES PAS SÛR QUE TOUTES LES PIÈCES SOIENT PRÉSENTES.

VEUILLEZ LIRE TOUTES LES INSTRUCTIONS AVANT DE CONTINUER.

EN CAS DE DOUTE LORS DU MONTAGE DE NOS PRODUITS, CONSULTEZ UN DE NOS REVENDUEURS OU FAITES APPEL À UN TECHNICIEN QUALIFIÉ.

VEUILLEZ NOTER QUE LA FAÇON DONT LE KIT EST EMBALLÉ NE REPRÉSENTE PAS NECESSAIREMENT LA MANIÈRE DE LE MONTER SUR LA MOTO.

SI DES RONDELLES EN CAOUTCHOUC SONT UTILISÉES POUR MAINTENIR LES COMPOSANTS SUR LES BOULONS, ELLES PEUVENT ÊTRE JETÉES.

NOTICE DISPONIBLE AU TÉLÉCHARGEMENT SUR :

WWW.RG-RACING.COM

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



<u>OUTILS REQUIS</u>	<u>VALEURS DE SERRAGE</u>
CLÉ ALLEN 5mm	M4 BOULON = 8Nm M5 BOULON = 12Nm M6 BOULON = 15Nm M8 BOULON = 20Nm M10 BOULON = 40Nm M12 BOULON = 40Nm

LÉGENDE

ARTICLE NO.	DESCRIPTION	QTÉ
ARTICLE 1	RAIL À BAGAGES CÔTÉ DROIT	1
ARTICLE 2	RAIL À BAGAGES CÔTÉ GAUCHE	1
ARTICLE 3	15mm ENTRETOISE	2
ARTICLE 4	55mm ENTRETOISE	2
ARTICLE 5	40mm BOULON	2
ARTICLE 6	75mm BOULON	1
ARTICLE 7	M8 RONDELLE	4

PHOTOS DE MONTAGE




Photo 1



Photo 2



VUE D'ENSEMBLE



NOTICE DE MONTAGE

- Il est recommandé de commencer par le côté droit et de passer au côté gauche une fois l'assemblage terminé.
- En vous référant à la VUE ÉCLATÉE DE L'ASSEMBLAGE, fixez le rail latéral du bagage côté droit (article 1) sur la moto à l'aide d'une entretoise de 15 mm (article 3), de l'entretoise de 55 mm (article 4), d'un boulon de 40 mm (article 5), du boulon de 75 mm (article 6) et de deux rondelles (article 7) comme indiqué dans la vue d'assemblage. Le boulon de 40 mm doit se loger dans le trou fileté entouré en bleu sur la photo 2, et le boulon de 75 mm doit se loger dans le trou fileté entouré en rouge sur la photo 2.
- En vous référant à la VUE ÉCLATÉE DE L'ASSEMBLAGE, fixez le rail latéral gauche du bagage (article 2) sur la moto à l'aide d'une entretoise de 15 mm (article 3), de l'entretoise de 55 mm (article 4), d'un boulon de 40 mm (article 5), du boulon de 75 mm (article 6) et de deux rondelles (article 7) comme indiqué dans la vue d'assemblage. Le boulon de 40 mm doit se loger dans le trou fileté entouré en bleu sur la photo 1, et le boulon de 75 mm doit se loger dans le trou fileté entouré en rouge sur la photo 1.
- Assurez-vous que tous les boulons soient serrés conformément aux spécifications indiquées à la page 2.
- Installez le bagage souple de votre choix, en le fixant aux porte-bagages à l'aide de sangles adaptées si nécessaire.

Avant de rouler avec des bagages, assurez-vous que tous les bagages soient bien fixés et qu'ils n'entreront en contact

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



**avec aucune partie de la chaîne ou du silencieux d'échappement pendant l'utilisation.
Le non-respect de cette consigne entraînera des dommages aux bagages et à la moto et peut entraîner des blessures graves, voire mortelles.**

ISSUE 2 - 21/11/2024 (MH)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com

