



Fitting Instructions for RAD0162BK Radiator Guard
KAWASAKI ZX6R '03-'04



In This Kit There Should Be
1x Radiator Guard (RAD0162BK)
2x Cable Tie
2x 100mm Lengths of self-adhesive Foam



Picture 1



Picture 2



Picture 3



Picture 4



Picture 5



Picture 6

TOOLS REQUIRED

- Socket set to include 3, 4 & 5mm A/F & 10mm socket & wrench.
 - Cable cutters.

FITTING INSTRUCTIONS

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove the left side fairing from the bike, as shown in picture 1.
- With the fairing removed, access can be gained to the lower radiator mounting bolt on the left side of the bike in front of the exhaust headers, as shown in picture 2. This bolt can now be removed.
- Offer the R&G Radiator Guard into place on the bike, ensuring that the bracket on the bottom aligns with the lower radiator mount and the top of the radiator guard sits behind the horn, before re-fitting the original bolt in the bottom mount, as shown in picture 3.



- Position one cable tie through the upper mounting holes on the left side of the radiator and loop around the top radiator / frame mount, as shown in picture 3, 4 & 5. Once in place, tighten the cable tie.
- Repeat the above stage on the upper mount for the other side of the bike.
- With both cable ties tightened and the original lower bolt tightened, the radiator guard should now be securely located in place.
- Re-fit the fairing to the left side of the bike.

ISSUE 1 21/11/2013 (AR)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



INSTRUCTIONS DE MONTAGE POUR RAD0162K Grille de protection
KAWASAKI ZX6R '03-'04



Le kit doit contenir :
1x Grille de protection (RAD0162BK)
2x colliers de serrage
2x 100mm Longueurs de mousse autocollante



Photo 1



Photo 2



Photo 3



Photo 4



Photo 5



Photo 6

Outils requis

- Jeu de clés 3, 4 & 5mm & 10mm.
- Pince à couper (pour les colliers).

Instructions de montage

- Couper la mousse en bandeaux de 10mm puis collez ces bandeaux au bas du support de protection radiateur, de façon à ce que ces bandeaux se situent entre la protection radiateur et le radiateur.
- Enlever le carénage coté gauche de la moto (Photo 1).
- Une fois le carénage enlevé, l'accès est possible pour le boulon de fixation radiateur du bas du coté gauche de la moto, devant les collecteurs d'échappement (Photo 2). Ce boulon peut à présent être enlevé.



- Mettre la grille de protection R&G en place sur la moto, en veillant à ce que le support sur le bas s'aligne avec le support radiateur du bas et que le haut de la grille de protection se place derrière le klaxon, avant de remettre le boulon d'origine sur le support du bas (Photo 3).
- Poser un collier à travers les trous de la fixation supérieure du côté gauche du radiateur et enrouler le support radiateur / cadre supérieur (Photo 3, 4 & 5). Une fois en place, serrer les colliers de fixation.
- Répéter l'étape précédente sur le support supérieur de l'autre côté de la moto.
- Avec 2 colliers de fixation serrés et le boulon inférieur d'origine fixé, la grille de protection radiateur peut maintenant être correctement fixée en place.
- Remettre le carénage du côté gauche de la moto.

ISSUE 1 21/11/2013 (AR)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.